# ASPIRIN LOW DOSE CHEWABLE- aspirin tablet, chewable Strategic Sourcing Services LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

HMT-1152-2019-0517

**Drug Facts** 

#### Active ingredient (in each tablet)

Aspirin 81 mg (NSAID)\*

\* nonsteroidal anti-inflammatory drug

#### **Purpose**

Pain reliever

#### Uses

- temporarily relieves minor aches and pains
- ask your doctor about other uses for this product

# **Warnings**

# Reye's syndrome

Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

# Allergy alert

Aspirin may cause a severe allergic reaction which may include:

- hives
- facial swelling
- asthma (wheezing)
- shock

# Stomach bleeding warning

This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you:

- are age 60 or older
- have had stomach ulcers or bleeding problems

- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)
- have 3 or more alcoholic drinks every day while using this product
- take more or for a longer time than directed

#### Do not use

- if you are allergic to aspirin or any other pain reliever/fever reducer
- for at least 7 days after tonsillectomy or oral surgery unless directed by a doctor

#### Ask a doctor before use if

- stomach bleeding warning applies to you
- you have a history of stomach problems, such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis, or kidney disease
- you are taking a diuretic
- you have asthma

#### Ask a doctor or pharmacist before use if you are taking a prescription drug for:

- diabetes
- gout
- arthritis

#### Stop use and ask a doctor if

- an allergic reaction occurs. Seek medical help right away.
- you experience any of the following signs of stomach bleeding:
  - o feel faint
  - vomit blood
  - have bloody or black stools
  - have stomach pain that does not get better
- pain gets worse or lasts for more than 10 days
- redness or swelling is present
- new symptoms occur
- ringing in the ears or loss of hearing occurs

These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

#### **Directions**

- drink a full glass of water with each dose
- adults and children 12 years and over: take 4 to 8 tablets every 4 hours not to exceed 48 tablets in 24 hours unless directed by a doctor
- children under 12 years: do not use unless directed by a doctor

#### Other information

- store between 20°-25°C (68°-77°F) in a dry place
- retain carton for complete product information and warnings

# **Inactive ingredients**

butylated hydroxytoluene, dextrates, FD&C yellow #6 aluminum lake, flavor, microcrystalline cellulose, modified corn starch, pregelatinized starch, saccharin sodium, stearic acid

#### PRINCIPAL DISPLAY PANEL

NDC 62011-0404-01

Compare to St. Joseph® Low Dose Chewable Aspirin active ingredient†

HealthMart®

**ADULT** 

ORANGE FLAVOR

Low Dose Chewable

**Aspirin** 

Pain Reliever (NSAID)

Aspirin Regimen\*\*

36 TABLETS - 81 MG EACH

Consult your healthcare provider before using this product for your heart.



#### ASPIRIN LOW DOSE CHEWABLE

aspirin tablet, chewable

<b>Product Information</b>			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62011-0404
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	81 mg

### **Inactive Ingredients**

Strength

Product Characteristics			
Color	orange	Score	no score
Shape	ROUND	Size	9mm
Flavor	ORANGE	Imprint Code	TCL;334
Contains			

ı	Packaging				
4	# Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:62011- 0404-1	1 in 1 CARTON	05/17/2019	07/31/2022	
1	L	36 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product			

	Marketing Information			
raph Marketing Start Marketing I Date Date	ind			
05/17/2019 07/31/2022				
	Date Date			

# Labeler - Strategic Sourcing Services LLC (116956644)

Revised: 11/2021 Strategic Sourcing Services LLC